

Dimension X  
(min 700 mm, max 1800mm)

Dimension Y  
(min 490mm,  
max 2866mm)

Depth (Z)  
100mm

Fire Door  
Signage Options

Spindle Height  
to Bottom of Door

Before specifying  
please call to confirm  
your height and width  
dimensions are within  
our tested parameters.

This drawing is provided free of charge, the details/dimensions shown are subject to information provided to APC Ltd at the time the drawing was originally requested. As a result of this, no liability for errors in the details/dimensions shown and agreed can be accepted by APC Ltd except where APC Ltd is proven to be negligent. The drawing should therefore be approved by the customer or any third party downloading the drawing from the APC Ltd website and confirmed with APC Ltd that the information is still current to ensure it meets with their specific project requirements before use.


Unit 5 Atkinsons Way,  
Foxhills Industrial Park,  
Scunthorpe,  
DN15 8QJ  
01724 853090  
sales@accesspanels.co.uk  
www.accesspanels.co.uk



Title: Double Christo Riser Door  
Picture Frame No Bottom Flange  
Range 49 (Generic Drawing)

Scale: 1:8      Date: 16/03/2023      Drawn: W.C.      Dwg No.: 49PF\_S--\_2\_SL      Sheet 1 of 2      Rev: A


Right Hand Active



### Specification:

Christo Double Riser Door / Powder Coated White Ral 9010 or Any RAL Colour / Primer Coat Option  
 Picture Frame or Invisible Perforated Beaded Frame for Plastering / Multiple-Point Euro Locking System With SLIK. Scan QR Code for Options  
 Recommended Structural Opening X & Y + 5-10MM / Fire Rated up to 2 Hours / Acoustic Options / Smoke Seals

Scan for Lock & Keyhole details



This drawing is provided free of charge, the details/dimensions shown are subject to information provided to APC Ltd at the time the drawing was originally requested. As a result of this, no liability for errors in the details/dimensions shown and agreed can be accepted by APC Ltd except where APC Ltd is proven to be negligent. The drawing should therefore be approved by the customer or any third party downloading the drawing from the APC Ltd website and confirmed with APC Ltd that the information is still current to ensure it meets with their specific project requirements before use.

Unit 5 Atkinsons Way, Foxhills Industrial Park, Scunthorpe, DN15 8QJ  
 01724 853090 sales@accesspanels.co.uk www.accesspanels.co.uk



**THE ACCESS PANEL**  
 COMPANY LTD

**Simplis**® Simplifying Interior Solutions


Title: Double Christo Riser Door  
 Picture Frame No Bottom Flange  
 Range 49 (Generic Drawing)

Scale: 1:2 Date: 16/03/2023 Drawn: W.C. Dwg No.: 49PF\_S--\_2\_SL Sheet 2 of 2 Rev: A

Right Hand Active


Lock Height for  
Euro And Slik  
& Slik +

Spindle Height to  
Bottom of the Door



Lock Height for  
Square Drive Lock

Spindle Height to  
Bottom of the Door



This drawing is provided free of charge, the details/dimensions shown are subject to information provided to APC Ltd at the time the drawing was originally requested. As a result of this, no liability for errors in the details/dimensions shown and agreed can be accepted by APC Ltd except where APC Ltd is proven to be negligent. The drawing should therefore be approved by the customer or any third party downloading the drawing from the APC Ltd website and confirmed with APC Ltd that the information is still current to ensure it meets with their specific project requirements before use.

Unit 5 Atkinsons Way, Foxhills Industrial Park, Scunthorpe, DN15 8QJ  
01724 853090 sales@accesspanels.co.uk www.accesspanels.co.uk



**THE ACCESS PANEL**  
C O M P A N Y L T D

**Simplis**® | Simplifying Interior  
Solutions

Title: **Christo Riser Door Spindle Height Guide**  
Single Door Picture Frame Used for Demonstration Purposes